





WHITE LACQUERED DOOR





model BLANC ON FEEL

Reversible hinged door composed

- ▶ white lacquered honeycomb door 60/70/75/80 x 210 cm
- ► FEEL frame
- ► SILVER finish hardware kit



model BLANC AVU FEEL

Reversible hinged door composed

- ▶ white lacquered door with security white satin glass 60/70/80 x 210 cm
- ► FEEL frame
- ► SILVER finish hardware kit

LEAF CUT TO LENGHT H 200 cm

- <29 pieces
- >30 pieces

LEAF 90 x 210 cm

INTERNAL **SLIDING DOOR**

SKIRTING BOARDS


kit of 5 rods (225 cm lenght) total 11 ml


FEEL FRAME



10 cm MDF FEEL frame (for walls up to 12 cm) with MDF telescopic FEEL architraves

Standard frame for walls up to 12 cm






M36 architrave (3 rods kit) for walls from 12 to 14 cm



Frame extension for walls over 14,1 cm



wall thickness (cm)	frame extension
14,1 - 17,5	6
17,6 - 23,5	12
23,6 - 29,5	18

OPEN FRAME

H=210 cm For walls up to 12 cm



HARDWARE KIT

LOCK



Magnetic Patent lock

Patent (P)



included

LOCK VARIANTS

Cylinder (Y)



Bathroom (WC)



HINGES



Adjustable EUROCENTO knoblock hinges included

HANDLES FOR HINGED DOORS

REMY









Brushed



stainless steel





(P)









HANDLES FOR SLIDING DOORS

KIT SWING A

KIT SWING B

Only dragging

With closure











WHITE LACQUERED or WOOD EFFECT DOOR WITH WOODEN FRAME





model ON FEEL PLUS

(all finishes)

Reversible hinged door composed

- ► honeycomb door 60/70/80 x 210 cm
- ► FEEL PLUS frame
- ► SILVER finish hardware kit



model AVU FEEL PLUS

(only BLANC finish)

model KVT FEEL PLUS

(ERABLE, PERLA, WALNUT, AWONG finishes)

Reversible hinged door composed

- ▶ door with security white satin glass 60/70/80 x 210 cm
- ► FEEL PLUS frame
- > SILVER finish hardware kit

LEAF CUT TO LENGHT H 200 cm

- <29 pieces
- >30 pieces

LEAF 90 x 210 cm

INTERNAL **SLIDING DOOR**

SKIRTING BOARDS


kit of 5 rods (225 cm lenght) total 11 ml


FEEL PLUS FRAME



Blockboard FEEL PLUS frame for walls up to 12 cm with plywood telescopic FEEL PLUS architraves (suitable even for wet environments)

Standard frame for walls up to 12 cm






M36 architrave (3 rods kit) for walls from 12 to 14 cm



Frame extension for walls over 14,1 cm



wall thickness (cm)	frame extension
14,1 - 17,5	6
17,6 - 23,5	12
23,6 - 29,5	18

OPEN FRAME

H=210 cm For walls up to 12 cm



HARDWARE KIT

LOCK



Magnetic Patent lock

Patent (P)



included

LOCK VARIANTS





Bathroom (WC)



HINGES



INK invisible hinges included

HANDLES FOR HINGED DOORS

REMY















Brushed



stainless steel





(P)









HANDLES FOR SLIDING DOORS

KIT SWING A

KIT SWING B

Only dragging

With closure







FINISHES

ERABLE







PERLA



BLANC (white lacquered)

WALNUT







NATURAL BRUSHED OAK DOOR



model MIELE ON

Reversible hinged door composed

- ► honeycomb door 60/70/80 x 210 cm
- ▶ telescopic TB frame
- ▶ matt chrome hardware kit

LEAF CUT TO LENGHT H 200 cm

- <29 pieces
- >30 pieces

LEAF 90 x 210 cm

INTERNAL SLIDING DOOR


SKIRTING BOARDS kit of 5 rods (225 cm lenght) total 11 ml


TB FRAME



TB frame for walls up to 13 cm with TB10 architrave

Standard frame for walls up to 13 cm





Frame extension for walls from 13 cm to 20 cm

OPEN FRAME

H=210 cm



HARDWARE KIT

LOCK



Magnetic Patent lock

Patent (P)



included

LOCK VARIANTS





Bathroom (WC)



HINGES



TPROGRAMM STRIPE hinges included

HANDLES FOR HINGED DOORS

REMY

102

(P)





Brushed



stainless steel





















HANDLES FOR SLIDING DOORS

KIT SWING A

KIT SWING B

Only dragging

With closure











DOOR WITH INVISIBLE FRAME Secret2



paintable leaf model YOU SECRET2

Hinged door composed by:

- ▶ paintable base layer YOU leaf 60/70/80 x 210 cm
- ► SECRET2 frame
- ► matt chrome SECRET2 hardware kit

PULL-OPENING DOOR FLUSH WITH THE WALL

PUSH/PULL-OPENING DOOR FLUSH WITH THE WALL (INVERSO leaf 60 mm thick)



white lacquered leaf model BLANC SECRET2

Hinged door composed by:

- ► BLANC lacquered leaf 60/70/80 x 210 cm
- ► SECRET2 frame
- ► matt chrome SECRET2 hardware kit

PULL-OPENING DOOR FLUSH WITH THE WALL

PUSH/PULL-OPENING DOOR FLUSH WITH THE WALL (INVERSO leaf 60 mm thick)

LEAF CUT TO LENGHT H 200 cm

- <29 pieces
- >30 pieces


LEAF 90 x 210 cm

SECRET2 FRAME




Raw paintable aluminiumflush frame Secret2 withspacers for assembly and fixing brackets for brick walls

pull-opening door flush with the wall




leaf 45 mm thick

push-opening door flush with the wall



leaf 60 mm thick

pull-opening door flush with the wall



leaf 60 mm thick

HARDWARE KIT

LOCK

(Key hole to be made on site)



Magnetic Patent lock

Patent (P)



included

LOCK VARIANTS

(Key hole to be made on site)

Cylinder (Y)



Bathroom (WC)



HINGES



DEA invisible hinges included

HANDLES FOR HINGED DOORS

REMY

(P)







Brushed stainless steel



102






measurement instructions

dimensions

The presence of a subframe is not required in order to install a Barausse door. If a subframe is already installed, measure the opening between the subframe jambs.



W width

Measure the space between the two walls, or between the two jambs of the subframe. Verify that the width is equal top, middle and bottom.

H height

Measure the space between the wall (or the lintel of the subframe) and the finished floor.

D wall thickness

Measure the thickness of the wall, taking into account any tiles or coverings.

FEEL and FEEL PLUS frame FEEL and TB frame

leaf height							
brick opening	luce nominale						
cm							
205	200	200					
215	210	210					

leaf width									
brick opening	passage size	nominal size							
69	60	60							
79	70	70							
89	80	80							
99	90	90							

Secret2 frame

leaf height							
brick opening passage size nominal size							
cm							
205	199,6	200					
215	209,6	210					

leaf width								
brick opening	passage size	nominal size						
cm								
69	59,1	60						
79	69,1	70						
89	79,1	80						
99	89,1	90						



		POR PRO I	TA NTA	ORDER Please comp		tion of this f	orm and send	it to pc	ortapr	onta@	bara	usse.c	om.	3	BAR MADE II	AUSSE
							chinning	addroca	-							
	registered office						shipping address e-mail									
_	VAT number					phone										
	quantity	model	finish	nominal size	wall thickness	t	cype	Secret2		2	opening direction *			lock		handle
1				х		hinged door	internal sliding	A	В	С	DX	SX	P	Y	wc	
2				х		hinged door	internal sliding	A	В	c	DX	SX	P	Υ	wc	
3				х		hinged door	internal sliding	A	В	С	DX	SX	P	Y	wc	
4				х		hinged door	internal sliding	A	В	С	DX	SX	P	Y	wc	
5				х		hinged door	internal sliding	A 🗆	В	С	DX	SX	P	Y	wc	
6				х		hinged door	internal sliding	A	В	С	DX	SX	P	Y	wc	
* On	y for doors	H 200 cm and	Secret2 do	ors												
ļ	oull-opening	door flush with	the wall										On	ly for S	ecre ⁻	t2 doors
	A		leaf 4	15 mm thick			DX					(SX			
	B INVERSO leaf 60 mm thick															
F	oush-openin	g door flush witl	h the wall				DX					(SX			
	C INVERSO leaf 60 mm thick															
	skirting board coordinated with the doors (kit of 5 rods - 225 cm lenght - finish n° kit total 11 ml)															
PACKAGING																
□ pallet (€ 80,00) □ wooden crate (20 doors per wooden crate - € 160,00 first wooden crate, € 100,00 for each further wooden crate)																
□ REQUEST DELIVERY DATE/																
The	The order will be accepted by completing this form in its entirety and will be executive after payment the total amount payable to the															
acc	ount: Bara	ausse S.p.A	Banco Pop	oolare - Agen	zia di Vicen	ıza										
IBA	IBAN IT20 N 05034 11808 00000000549 CAUSALE: PORTA PRONTA															

Date

Signature